

The Impact of Competence and Benevolence in a Computational Model of Trust


Ameneh Deljoo, Tom van Engers, Leon Gommand and Cees de Laat

University of Amsterdam

a.deljoo@uva.nl

July 11, 2018

SARNET Alliance Project



- Social Networks evolve over time.
- The conditions in the past are not exactly the same as they are now.
- The estimation of trustworthiness is predominant to assess trust between each peer in such network.
- Collaboration with the right partners to work on joint tasks is essential.
- Sharing with these partners that may be competitors in other aspects requires organizing Trust.

Define a Social Computational Trust Model

- Consider **trustworthiness dimensions** (Benevolence and Competence)
- Consider different **stages** of relationships between each pair (trustee and trustor)
- Estimate trustworthiness in a **dynamic way** by taking into consideration the **situation** and the **development** of the relationship.
- Use the available **evidence** to the trustee by considering different situations to estimate the trustee's benevolence and competence.
- Use an Agent-Based Model

Inter-organizational trust: as the **expectation** held by one firm that another will not exploit its **vulnerabilities** when faced with the **opportunity** to do so.

- demonstrate **competence** relate to the **potential ability** of the evaluated entity to do a given task,
- act accordingly to fulfill the **commitments** even when acting on them is not in self-interest and accept the consequences, and
- **do good** and act out of kindness even if unforeseen contingencies arise.

Trustworthiness' Factors

- Competence
- Integrity
- Benevolence

Hypothesis

The extraction of **benevolence-competence** based information from the set of **evidence** on the **trustee** under evaluation and its use in adequate **stages of the relationship** between trustor and trustee shows that trustee's trust- worthiness **improves** by increasing the number of **interactions** between trustor and trustee.


Table: Basic Notation

Description	Representation	Value Range
Agent	x, y	
All the situations	S	
Situations	$\alpha, \beta \in S$	
Society of Agents	$x, y \in A$	
All the situations	S	
Tasks	t	
Context	$D^1 = d_1, d_2, \dots, d_8$	
d_8	FD, FDD, V	1, 0.5, 0
Trust x on y in the situation S	$T_x(y, S)$	[0,1]
All the available evidence on y	$E(*, y)$	[0,1]
All the available direct evidence on y	$E(x, y)$	[0,1]

1

- d_1 = trustor, d_2 = trustee
- d_3 = time, d_4 = location, d_5 = task, d_6 = complexity, d_7 = deadline

Social Computational Trust Model



Trustworthiness Function: Benevolence

- $Benevolence_{(x,y)} \in [0, 1]$

$$Ben_{(x,y)} = \frac{1}{|S^a|} \sum_{E_{(x,y)}} (val(E_{(x,y)})). \quad (1)$$

^aWhere S is the set of situations, in which x has interactions with y .

Trustworthiness Function: Competence

$$Competence_{(x,y)} \in [0, 1]$$

- There is no evidence available from the trustee.

$$Risk = \frac{Cost \times (1 - Pr^a)}{benefit \times Pr}, \quad (2)$$

- Situation β : there are some evidence but not for the considered context.

$$Com = \frac{1}{|N|} \sum_{\beta \in N} (val(E_{*,y}) \times \hat{T}_x(y, \beta)^b), \quad (3)$$

$$\hat{T}_x(y, \beta) = 1 / |N| \sum_{\beta \in N} T_{(x,y)}.$$

- Situation α : there is related evidence about the agent in this context.

$$Com = \frac{1}{|N|} \sum_{\alpha \in N} (val(E_{*,y})), \quad (4)$$

^awhere Pr is the probability of performing the task by the given trustee.

^bwhere $\hat{T}_x(y, \beta)$ denotes the basic trust and β is the set of all situations.

Calculate Trustworthiness Algorithm

Algorithm 1 Calculate $TW_{(x,y)}$

Require: $E_{(*,y)}$: the set of all evidence about trustee y .

Require: $N_{ben} = 2$: minimum interaction between trustee and trustor.

Ensure: $E_{(x,y)} \notin E_{(*,y)}$

$$N_{(x,y)} \leftarrow |E_{(x,y)}|$$

$$Ben_{(x,y)} \leftarrow F(Ben_{(x,y)})$$

$$Com_{(x,y)} \leftarrow F(Com_{(x,y)})$$

$$TW_{(x,y)} = Com_{(x,y)} + Ben_{(x,y)}$$


return $TW_{(x,y)}$

Simulation Setup

- Agent-Based Simulation (Jadex tool)
- Collaborative Network
- Estimate trustworthiness of different members

Assumptions:

- Only one task being negotiated,
- Agents are honest,
- There is no conflict on the evidence,
and
- Message are encrypted.



Simulation Setup Cont.

Task: Mitigate an attack (e.g. DDOS)
Situations

- S_1 : provides a specific number of samples within 24 hours,
- S_2 : provides a specific type of resource (e.g. allocating resources),
- S_3 : blocks a link, and
- S_4 : monitors a specific traffic.





Table: $Ben_{(x,y)}$ evaluation for the number of rounds

No. of rounds →	20	50	100
$Ben_{(x,y)}$	0.22	0.31	0.86
SD^2	0.113	0.105	0.081
M	0.762	0.777	0.810

²including mean M and standard deviation SD .

Simulation Setup Cont.

Table: Agent x asks different Agents' opinion about agent z in the four situations



Situation →	s_1	s_2	s_3
Y	FDD	FD	FDD
M	FDD	FD	FDD
W	FDD	FD	FDD
D	FDD	FD	FDD
A	FDD	FD	FDD

Table: Competence evaluation for agents a , z and y and the number of rounds

No. of rounds →	20	50	100
$Com_{(x,a)}$	0.21	0.40	0.65
$Com_{(x,z)}$	0.28	0.43	0.88
$Com_{(x,y)}$	0.18	0.33	0.54
SD_a	0.059	0.051	0.048
SD_z	0.068	0.058	0.042
SD_y	0.081	0.066	0.041
M_a	0.927	0.938	0.941
M_z	0.910	0.927	0.947
M_y	0.917	0.936	0.962

Conclusion and Future Work

Conclusion

- The benevolence and competence of trustees are increased as the number of interaction increases.
- We have proved that the trustworthiness estimation grew with the increasing number of interactions between any trustor-trustee pair.
- Trustor and trustee's behaviors evolve based on different stages of existing relationships between them.

Future Work

- Integrity based trustworthiness.
- Evaluate our framework against the badmouthing attacks and non-compliant members.
- Evidential reasoning in the case of conflicting on evidence.

The End
Ameneh Deljoo
a.deljoo@uva.nl